INDEX MAPS.

T. 57 N, R. 1 W. 2nd Mer.



T. 58 N, R. 1 W. 2nd Mer.



☞ The figures on the lines refer to the page.

Township 38 North Range 1 West 2nd Mer. Ind.a

G. L. **South Boundary** (Var. 5° 35' E.)

West On the S. side of sec. 36,
23.00 Enter timber land
28.94 To a Leyner 36 in. dia. in the line,
40.00 Set the qr. secs. cor. post from which
a Forked Beech 14 in. dia. bears N 50 E 25 lks.,
& a Beech 12 " " " N 56 W 40 " dis.,
61.17 To a Bur. Oak 36 " " in the line,
80.00 Set a post cor. to secs. 35 & 36 from wh.
a Hickory 16 in. dia. bears N 45 W 18 lks. dis.,
& a Leyner 14 " " " N 23 E 10 " "
Land level & 2nd rate, part prairie & the
timber is Bur. Oak, Beech, Leyner, Hickory,
Maple, Poplar &c. Mud Lth. Hazel Ash Willow.

West On the S. side of sec. 35
21.36 To a Leyner 16 in. dia. in the line,
38.50 Enter a prairie, supposed area 100 A.,
40.00 Set the qr. secs. cor. post from which
a W. Oak 18 in. dia. bears N 35½ E 74 lks. dis.,
& a Do. 14 " " " N 34 W 142 " "
68.00 Enter S. point of timbered
74.32 To a W. Oak 22 in. dia. in the line,
75.00 Enter a wing of the same prairie
80.00 Set a post cor. to secs. 34 & 35 fr. wh.
a Blk. Oak 22 in. dia. bears N 69 E 464 lks.,
& a W. Oak 20 " " " N 11½ W 690 "
Finish ½ is level & sec. rate & the timber is
Oak, Beech Poplar, Hickory, Leyner &c. 2nd ½,
is poor & 3rd rate. Land mostly prairie

West On the S. side of sec. 34
28.00 Leave wet prairie & Enter barren

T. 38 N. R. 1 W. 2nd. Mer. Ind.

C. L.	
34.26	To a W. Oak 22 in. dia. in the line,
40.00	Set the qr. sec. cor. post from which a W. Oak 36 in. dia. bears N 25 E 10 lks. dist, & a Hickory 10 " " " N 56½ W 32 " "
59.71	To a Hickory 16 " " in the line,
71.00	Enter barren land
80.00	Set a post cor. to secs. 33 & 34 from wh. a Bx. Oak 20 in. dia. bears N 58½ W 90 lks, no other tree convenient, Part rolling & sec.d & third rate, Part level wet 3.rd rate & the timber is Oak. Hickory &c, & the Und. Gth. is Sassafras Hickory &c,
West	On the S. side of sec. 33,
20.70	To a forked Bl. Oak 38 in. dia. in line
40.00	Set the qr. sec. cor. post from which a Bl. Oak 22 in. dia. bears N 85½ W 152 lks, & no other tree convenient,
53.06	To an Sp. Oak 28 in. dia. in the line,
61.00	Enter a prairie mostly NW
80.00	Set post cor. to secs. 32 & 33. where Raised a mound in prairie Land rolling 2.nd & 3.d rate & the timb. is Bl. W. Oak & Hickory &c. & the Und. Growth is Hazel, Sassafras Briar & Shoemake
West	On the S. side of Sec. 32,
10.50	Enter wood land Walnut. Sugar Lynn,
14.72	To a Bl. Walnut 24 in. dia. in the line
26.50	Enter same prairie
40.00	Set the qr. sec. cor. post from which no. bearings near – Raised a mound
80.00	Set a post cor. to secs. 31 & 32 in mound

T. 38 N. R. 1 W. 2nd Mer. Ind.

C. L. Level second rate land & mostly prairie

West On the S. side of sec. 31,
28.00 Leave prairie
32.90 To a Bur. Oak 16 in. dia. in the line,
40.00 Set a gr. sec. cor. post from which
a Sugar 4 in. dia. bears N42½ W19 lks.
& a Do. 4 " " " N19½ E23 " dis.
61.55 To a Sugar 26 in. dia. in the line,
80.00 Set a post cor. Towns. 37 & 38 N. Ranges
1 & 2 W. from which a
a Red Elm 4 in. dia. bears S66½ W24 lks. dis.
& a Do. 4 " " " S81 E13 " "
& a Beech 30 " " " N77 W26 " "
& a Ds. 14 " " " N14 E60 " "
Rolling second rate land & the timber is
Sugar, Lynn, Beech Elm Poplar & the
Mud. Sth. is bears Hazel Dr. June 27th 1839
Thos. Brown Sur.

East Boundary, (V. 5°50' E.)

North On the E. side of sec. 36.
Post in prairie - in a mound,
40.00 Set the gr. sec. cor. post from which
no bearing - Raised a mound in prairie
80.00 Set a post cor. to secs. 25 & 36. in Do.
where raised a mound
Land 1st rate dry prairie

North On the E. side of sec. 25
14.33 To an Indian trail cr. E,
40.00 Set the gr. sec. cor. post in prairie
where raised a mound
80.00 Set a post cor. to secs. 24 & 25. in Do.

T. 38 N. R. 1 W. 2nd. Mer. Ind.

C. Le. & Raised a mound. Land same as last

North On the E. side of sec. 24
28.86 To the Chicago Road cr. S.W
31.00 Leave the prairie
40.00 Set the qr. secs. cor. post, from which
a Br. Oak 14 in. dia. bears S55W33 lks.
& a Do. 7 " " " N68W41 "
57.66 To an Indian trail cr. N.E.
68.98 " a Br. Oak 15 in. dia. in the line
69.25 Enter an arm of prairie
80.00 Set a post cor. to secs. 13 & 24 —
a Br. Oak 15 in. dia. bears N45W39 4 lks.
& a Do. 12 " " " N57½W42 "
Land 1st rate & the timber is Br. Oak
no mud gth. May 14th 1829. —

North On the E. side of sec. 13,
2.84 To a Waggon Road cr. N.E.
10.00 Leave the prairie
36.48 To a Br. Oak 12 in. dia. in the line
40.00 Set the qr. secs. cor. post from wh.
a Br. Oak 10 in. dia. bears S71W15 lks.
& a Do. 11 " " " N30E63 " dist
54.85 To a W. Oak 24 " " in the line
78.30 " " Hickory 22 " " " " "
80.00 Set a post cor. to secs. 12 & 13 from wh.
a Lynn 10 in. dia. bears S21½W44 lks. dist.
& a Do. 13 " " " North 30 " "
Land is level & 1st rate & the timber
is Beech & Sugar. & the U.S. Lynn & Spin

North On the E. side of sec. 12,

T. 38 N. R. 1 W. 2nd Mer. Ind.

E. L.

10.12 To a Beech 14 in. dia., in the line,

32.65 " " Lynn 20 " " " " "

40.00 Set the qr. sec. cor. post from which
a Spar, Oak 10 in. dia., bears S 31 W 5 lks. dist &
& a Beech 9 " " " N 10 E 64 " "

44.19 To the N. boundy. of Indiana & S. boundy.
of Michigan, where set a post,
a Lynn 30 in. dia., bears South 6 lks. dist
& an Ironwood 9 " " " N 22 E 22 " "

Distance E. to 19th mile 36 chs. 83 lks.

Land &c. is same as before —

May 15th 1829. Surveyed by —
David Hillis Dep. Sur.

West Boundary. (Var. 5° 35' E.)

North On the E. side of sec. 36 T. 38 N. R 2 W

18.90 To a Sugar 32 in. dia. in the line,

40.00 Set the qr. sec. cor. post from which
a Beech 16 in. dia. bears N 11 W 27 lks. dist,
& a Lynn 6 " " " S 8 W 11 " "

66.50 To a Poplar 40 " " in the line,

80.00 Set a post cor. to secs. 25 & 36 from wh.
a L. Ash 5 in. dia., bears S 30 W 11 lks. dist,
& a Lynn 4 " " " N 30 W 15 " "

Land rolling rich & 2nd rate & the timb.
is Lynn, Beech, Poplar, Ash Elm &c. & the
Undergrowth is Spice, Lynn Hickory Ash &c.

North On the E. side of sec. 25 T. 38 N. R 2 W

26.96 To a Lynn 24 in. dia. in the line,

27.86 To the S. margin of a Lake set post,
a Beech 14 in. dia. bears N 15 E 6 lks. dist,
& a Do. 18 " " " S 68 W 24 " "

T. 38 N. R. 1 W. 2nd. Mer. Ind.

C. L.	
37.16	Over Lake & set post from which a Beech 14 in. dia. bears N 84 W 7 lks, & a R. Oak 24 " " " East 27 "
40.00	Set the qr. sec. cor. post from which a Beech 18 in. dia. bears N 66 W 45 lks, & a Do. 20 " " " S 63 W 48.
54.46	To a Lynn 20 " " in the line
66.89	To a Lake & set a post on S. E. side, a Poplar 6 in. dia. bears N 47 E 4 lks. dist, & a Do. 6 " " " S 19 W 16 " "
80.00	Set a post on E. margin of lake 317 lks. E. of Range line. from which a Poplar 12 in. dia. bears N 31 E 13 lks. dist, & a Red Oak 22 " " " N 87 E 22 " "

Land is rolling sec. rate & 3. rate & the timber is Sugar Lynn Oak Hickory Beech Poplar &c. Mud. Gum. Spice Ash Walnut Dogwood

---

North On the E. side of sec. 24 T 38 N R 2 W continued offset, E.

5.00	Paid offset. at a Red Elm 18 in. dia. which is corner tree where leave lake This lake is supposed to contain 70 to 80 acres & is mostly West of the line,
17.55	To a Lynn 6 in. dia. in the line,
40.00	Set the qr. secs. cor. post from which a Beech 5 in. dia. bears N 33 ½ W 8 lks. dist, & a Sugar 6 " " " S 4 W 15 " "
54.50	Enter a swamp
55.50	Leave the same
59.50	To a Forked Lynn 34 in. dia. in line
78.50	Enter a swamp
80.00	Set a post cor. to secs. 13 & 24.

T. 38 N. R. 1 W. 2nd Mer. Ind.a

C. L. a W. Elm 8 in. dia. bears N 42 W 7 lks. dis.
& a Birch 20 " " " S 65 W 35 " "
Land is rolling & sec. rate & the timber is
Lynn Sugar Beech Poplar Elm &c, & the
Und. Gth. is Spice Oak Dogwood Elm &c,

North On the E. side of sec. 13 T 38 N R 2 W
4.00 Leave the Birch swamp
19.84 To a W. Elm 20 in. dia. in the line,
34.50 Enter a wet prairie mostly E,
40.00 Set qr. sec. cor. post in Rough prairie
a W. Oak 20 in. dia. bears N 10 W 21 lks. dis.
& no other tree near,
47.50 Leave the swamp
56.29 To a Beech 22 in. dia. in the line,
80.00 Set a post cor. to secs. 12 & 13 from wh.
a Lynn 12 in. dia. bears N 26 W 8 lks. dis.
& a Do. 18 " " " S 32 W 44 " "
Land rolling & 2nd rate & the timber is
Sugar, Lynn, Beech Poplar Oak &c &
the Und. Gth, is Lynn Hickory &c,

North On the E. side of sec. 12 T 38 N R 2 W
19.25 To a Forked W. Walnut 20 in. dia. in line,
36.63 To the N. boundy. of Indiana 39.87 lks.
West of the 13th mile post where set post,
cor. Town 38 N. Ranges 1 & 2 W. from which
a Lynn 14 in. dia. bears S 48 E 19 lks. dis.
& a Sugar 18 " " " S 54 W 23 " "
Rolling rich 2nd rate land. & the timber is
Lynn, Sugar Walnut Beech Elm &c,
& the Und. Gth. is Spice, Sugar &c. June 19th 1829
Surveyed by Thomas Brown Dep. Sur,

T. 38 N. R. 1 W. 2nd Mer. Ind.

C. L. **Subdivisions,** 1829

Commenced Monday Oct. 5 1829.

North Between sections 35 & 36
27.93 To a Beech 16 in. dia. in the line,
40.00 Set the qr. secs. cor. post from which
an Elm 4 in. dia. bears West 2 lks. dist,
& a Bl. Ash 3 " " " N 70 E 21 " "
80.00 Set a post cor. to secs. 35 & 36. 25 & 26,
on S. side of Zero Compee prairie from which
a Br. Oak 12 in. dia. bears S 47 W 98 lks. dist,
& no other timber near,
Land is swampy & but little value & the
timber is Maple, Ash & Beech &c

East On Random between sections 25 & 36
40.00 Set a temp. qr. secs. cor. post ~~from wh.~~,
80.00 To the E. line of secs. 20 lks. S. of post,

West Correct the line between secs. 25 & 36
40.00 Set the qr. secs. cor. post in prairie
where raise a mound
80.00 To the section corner,
Land all to the N. dry prairie

North Between sections 25 & 26
40.00 Set the qr. secs. cor. post in prairie
where raised a mound
80.00 Set a post cor. to secs. 23. 24. 25 & 26
where raise a mound Land same,

East On Random between sections 24 & 25
40.00 Set a temp. qr. secs. cor. post,
79.50 To the E. line of secs. 20 lks. S. of post,

T. 38 N. R. 1 W. 2nd. Mer. Ind.

C. L.

West — Correct the line between secs. 24 & 25

39.75 Set the qr. secs. cor. post from which no bearings - Raise a mound for cor.,

79.50 To the sections corner,

North — Between sections 23 & 24

20.98 Cross Chicago trail crs. S70W

21.66 To a Br. Oak 10 in. dia. in the line,

24.00 To the N. edge of prairie

40.00 Set the qr. sec. cor. post from which a Beech 18 in. dia. bears N77E28 lks. dist, & a Sugar 24 " " " S5½W24 " "

78.34 To a Beech 20 " " in the line,

80.00 Set a post cor. to secs. 13.14.23 & 24 a Beech 12 in. dia. bears N33W15 lks. dist & a W. Ash 18 " " " N63E16 " "

Land is first rate rolling & the timber is Ash, Sugar, Beech, Cherry, R.O. & Spice &c,

---

East — On Random between sections 13 & 24

40.00 Set a temp. qr. sec. cor. post.

60.00 To the W. edge of Tem Coupe prairie.

79.00 To the E. line of sec. 67 lks. S. of post,

West — On Correction between secs. 13 & 24

39.50 Set the qr. sec. cor. post from which a Beech 20 in. dia. bears S69W16 lks. dist, & a Do. 17 " " " North 12 " "

79.00 To the Sections Corner,

Land is rolling & first rate & the timber is the same as last,

---

North — Between Sections 13 & 14

T. 38 N. R. 1 W. 2nd Mer. Ind.a

G. L.	
22.47	To a Beech 11 in. dia. in the line,
40.00	Set the qr. sec. cor. post from which
	a Beech 30 in. dia. bears S 57 E 23 lks. dist,
	& a Do. 27 " " " N 14 W 34 " "
55.56	To a Sugar 8 " " in the line,
80.00	Set a post cor. to secs. 11, 12, 13 & 14 —
	on S. side of a Lake & swamp
	a Beech 8 in. dia. bears N 29½ W 11 lks,
	& a Red Oak 18 " " " S 18½ E 13 " dist,
	Generally, land very good & pr. rate & the
	timber is Oak, Sugar & Beech, & U.S. Spruce

East	On Random between sec. 13 & 13
40.00	Set a temp. qr. sec. cor. post —
80.00	To the E. boundy. of sec. at post,

West	Blazed back, between sec. 12 & 13,
40.00	Set the qr. sec. cor. post from which
	an Elm 20 in. dia. bears S 48 E 15 lks. dist,
	& a Lynn 15 " " " N 6 W 15 " "
80.00	To the Section corner,
	Good land & the timber is same as [illegible]
	except about 15 chs. at W. end a swamp

North	Between sections 11 & 12,
2.00	Enter a swamp
12.00	Leave the same
26.00	To a W. Oak 18 in. dia. in line,
40.00	Set a qr. sec. cor. post from wh,
	a W. Oak 18 in. dia. bears N 72 E 16 lks,
	& a Ash 4 " " " S 46 W 22 "
43.34	To N. boundy. of State of Indiana
	at corner to secs. 11 & 12 from wh,

T. 38 N. R. 1 W. 2nd Mer. Ind.a

C. L. a Beech 10 in. diam. bears S 29 W 3 lks,
& a Red Oak 20 " " " N 29 W 30 "
Land 3rd rate & the timber is Sam & Beech & Oak &c

North Between sections 35 & 36. (Oct 6th 1829)
37.00 Enter a prairie
40.00 Set a qr. sec. cor. post from wh. a Bur Oak, 11 in. diam. bears N 46 W 64 lks, & a Do. 14 " " " N 45 E 135 "
80.00 Set a post cor. to 26, 27, 34 & 35 — & Remeasured, Land barren & prairie, & the timber is Bur. Oak &c,

---

East On Random between sections 26 & 35
40.00 Set a temp. 1/4 sec. cor. post,
79.00 To the E. line of sec. at cor,
Land chiefly prairie,

West Correct the line between secs. 26 & 35
39.50 Set qr. sec. cor post in prairie Raised a mound
79.00 To the section corner,

North Between sections 26 & 27.
40.00 Set the qr. sec. cor. post from which no bearings — & Raised a mound
59.50 To Chicago Trace on S.W.
70.00 Enter timbered land
80.00 Set a post cor to secs. 22 23, 26 & 27 a Lynn 19 in. diam bears N 13 W 13 lks, & a Do. 18 " " " S 34 E 28 "
Land is level & 1st rate & the timber

431

T. 38 N. R. 1 W. 2nd Mer. Ind.

b. L. Lynn, Beech, Elm & Hone Cherry

East On Random between secs. 23 & 26
16.00 Enter prairie
27.28 To Chicago trail cr. S.W.,
40.00 Set a temporary 1/4 sec. cor. post
79.00 To the E. line of sec. 80 lks. S. of post,

West Correct the line between secs. 23 & 26
39.50 Set the qr. sec. cor. post in prairie
where raised a mound
79.00 To the section corner,
Land all prairie

North Between sections 22 & 23,
17.95 To a Lynn 11 in. dia. in the line
40.00 Set the qr. sec. cor. post from wh.
a Lynn 14 in. dia. bears N 75 E 19 lks.
& a Do. 9 " " " S 37 W 9 " lks.
60.35 To an Aspen 18 in. dia. in the line,
80.00 Set a post cor. to secs. 14, 15, 22 & 23,
a Lynn 15 in. dia. bears S 14 W 7 lks. dist.
& a Beech 9 " " " N 33 E 14 " "
Land is 1st rate & the timber is same,

East On Random between secs. 14 & 23
40.00 Set a temp'y qr. sec. cor. post,
80.00 To the E. line of sec. 10 lks. N. of post

West Correct the line between secs. 14 & 23
40.00 Set a post for 1/4 sec. cor. post fr. wh.
a Sugar 19 in. dia. bears S 60 W 12 lks.
& a Lynn 9 " " " S 37 E 8 "

Beech

T. 38 N. R. 1 W. 2nd. Mer. Ind.

6.2,	
80.00	To the Section corner,
	Land &c. is the same as before,

North	Between sections 14 & 15
15.00	Enter a Pine swamp
20.23	To a Beech 12 in. dia. in the line,
27.50	Leave the swamp
40.00	Set the qr. sec. cor. post from which
	a Beech 15 in. dia. bears East 18 lks. dist
	& a Do. 9 " " " N 68½ W 31 " "
59.26	To a Bl. Walnut 12 in. dia. in the line,
80.00	Set a post cor. to secs. 10. 11. 14 & 15,
	a Red Oak 20 in. dia. bears S 82½ E 48 lks
	& no other timber near,
	Land rolling highly fertile & 1st. rate
	& the timber is Cherry Walnut Sugar &c,

East	On Random between Sec. 11 & 14
40.00	Set a temp. 1/4 sec. cor. post,
79.50	To the E. line of Sec. 50 lks. N. of post,

West	Correct the line between secs. 11 & 14
39.75	Set the qr. sec. cor. post from which
	a Maple 14 in. dia bears N 87 W 31 lks. dist,
	& a Bl. Ash 12 " " " S 45 W 7 " "
79.50	To the section corner,
	Land & timber is the same as last

North	Between sections 10 & 11
24.03	To a Cherry 15 in. dia. in the line
40.00	Set the qr. sec. cor. post from which
	a Sugar 24 in. dia. bears S 54 W 18 lks,
	& a Beech 7 " " " S 85 E 15 "

T. 38 N. R. 1 W. 2nd Mer. Ind.

G. L.

41.50 To the N. boundy. of Indiana & set post cor. to secs. 10 & 11 – from which
a Beech 4 in. dia. bears S 46 E 11 lks. dist.
& a Leyrus 8 " " " S 14 W 43 " "
& the timber is same as before,

North Between Secs. 33 & 34. (Oct 7.) 1829

40.00 Set the qr. secs. cor. post from which
a Bx. Oak 10 in. dia. bears S 5 E 20 lks. dist.
& a W. Oak 20 " " " N 61 W 60 " "

60.78 To a Yellow Oak 20 " " in the line,

80.00 Set a post cor. to secs. 27, 28, 33 & 34 –
an Elm 15 in. dia. bears S 30 E 19 lks. dist.
& a Poplar 10 " " " S 85 W 41 " "
Land is quite thin & rolling & the timber is W. & Bx. Oak &c. No mud, 2th,

---

East On Random between Sections 27 & 34

6.22 To a Lake & set a post from which
a W. Oak 24 in. dia. bears N 4 W 24 lks. dist.
& a Do. 24 " " " S 49 W 45 " "

15.72 Leave lake & set post from which
a W. Oak 11 in. dia. bears N 7 W 37 lks. dist.
& a Do. 8 " " " S 55 E 26 " "

40.00 Set a temply. 1/4 secs. cor. post ~~from wh.~~,

65.00 Enter a prairie

80.03 To the E. line of secs. at the post,

West Correct the line between secs. 27 & 34

40.01 Set the qr. secs. cor. post from which
a Bx. Oak 12 in. dia. bears N 11 W 75 lks.
& a Do. 14 " " " S 50 E 103 "

80.03 To the sections corner,

T. 38 N. R. 1 W. 2nd Mer. Ind.

C. L.

North — Between sections 27 & 38

29.10 — Crosses Chicago trail ex. S W

33.19 — To a Br. Oak 10 in. dia. in the line,

40.00 — Set the qr. sec. cor. post from which
a Gray Ash 15 in. dia. bears N 38 E 21 lks.
& a Br. Oak 30 " " " S 3 E 54 " dis.

70.00 — Leave Barren & Enter timber,

80.00 — Set a post cor. to secs. 21, 22, 27 & 28,
a Sugar 24 in. dia. bears N 44 E 13 lks. dis.
& a Do. 25 " " " S 29 W 44 " "
Land chiefly barren & the timber Oak &c.

East — On Random between sections 22 & 27

40.00 — Set a temp. qr. sec. cor. post,

80.10 — To the E. line of sec. 11 lks. S. of post.

West — Correct the line between secs. 22 & 27

40.05 — Set the qr. sec. cor. post from which
a Beech 26 in. dia. bears S 63 E 6 lks. dis.
& a Sugar 13 " " " N 7 W 41 " "

80.10 — To the Section corner. Land 2nd rate
& the timber is Beech &c.

North — Between sections 21 & 22

19.41 — To a Beech 15 in. dia. in the line,

40.00 — Set the qr. sec. cor. post from which
a Beech 16 in. dia. bears S 6 W 10 lks. dis.
& a Do. 12 " " " N 48 E 24 " "

58.40 — To a Sugar 18 " " in the line,

70.00 — Enter a Tamarac swamp

80.00 — Set a post in swamp. cor. to secs. 21, 22, 15 & 16, a Bl. Ash 18 in. dia. bears N 59 W 26 lks.
& an Elm 9 " " " S 22 E 14 " dis.

T. 38 N. R. 1 W. 2nd Mer. Ind.

C. L. Land is second rate rather thin & the timb is Oak, Elm Beech &c —

East On Random between Sections 15 & 22
6.00 Leave the swamp
40.00 Set a temp. qr. sec. cor. post,
80.09 To the E. line of sec. at post,
Land & timber is same as last mile,

West Correct the line between sec. 15 & 22
40.04 Set the qr. sec. cor. post from which
a W. Oak 3 in. dia. bears South 31 lks. dist.
& no other tree near
80.09 To the section corner,

North Between sections 15 & 16,
9.00 Leave a Tamarac swamp
25.36 To a Beech 20 in. dia. in the line,
40.00 Set the qr. sec. cor. post from which
a Beech 30 in. dia. bears N 55 E 19 lks.
& a Do. 12 " " " S 41 W 24 " dist.
59.95 To an Elm 12 " " in the line,
80.00 Set a post cor. to sec. 9, 10, 15 & 16
a Beech 20 in. dia. bears S 45 W 84 lks.
& a Poplar 24 " " " N 41 W 20 " dist.
Land rolling & the timber is Sugar Mple
Beech, Poplar &c —

East On Random between sections 10 & 15
25.00 Enter a Tamarac swamp
40.00 Set a temp. qr. sec. cor. post,
78.00 Leave the Tam^c. swamp
80.10 To the E. line of sec. at post,

T. 38 N. R. 1 W. 2nd. Mer. Ind.

C. L.

West Correct the line between secs. 10 & 15

40.05 Set the qr. secs. cor. post from which
a Tamarac 9 in. dia. bears S 33 W 14 lks.
& a Do. 4 " " " N 48 W 2 " dist.,

80.10 To the sections corner, Land & timber
is the same as before

North Between sections 9 & 10

20.00 Enter a Tamarac swamp

26.00 Leave the " Do.

28.05 To a W. Oak 30 in. dia. in the line,

39.50 To the N. boundary of Indiana &
set post cor. to Secs. 9 & 10. from which
a Beech 34 in. dia. bears S 37 E 36 lks.
& a Sugar 13 " " " S 45 W 13 " dist.,
Land in this direction generally very
good & fit for cultivation, but badly
supplied with water. Timber is Ash
Beech Sugar Elm Poplar &c.

North Between sections 32 & 33,

30.00 Leave the prairie

40.00 Set the qr. secs. cor. post from wh.
a W. Oak 7 in. dia. bears N 40 E 57 lks. dist.,
& a Do. 14 " " " S 53 E 100 " "

46.40 across Chicago Trail on West

67.40 To a Red Oak 18 in. dia. in the line,

80.00 Set a post cor. to Secs. 28. 29. 32 & 33,
a Sugar 18 in. dia. bears S 89 W 22 lks.,
& a Hickory 6 " " " N 36 E 16 " dist.,
Land generally rolling & 1st rate & the
timber is Poplar, Sugar Lynn Walnut
& Red Oak near prairie. W. G. Spice, Survr.,

Comp.

T. 38 N. R. 1 W. 2nd. Mer. Ind.

G. L.

East — On Random between sections 28 & 33

31.75 — Cross Chicago trail

40.00 — Set a temp. qr. sec. cor. post,

79.68 — To the E. line of Sec. at post,

Land generally good & timber same as last,

West — Correct the line between sec. 28 & 33

39.84 — Set the qr. sec. cor. post from which

a Red Oak 18 in. dia. bears North 3 lks.

& an Elm 6 " " " South 12 "

79.68 — To the section corner,

North — Between sections 28 & 29

8.00 — To S. side of a large lake set post —

a Red Oak 10 in. dia. bears S 38 W 23 lks.

& an Ironwood 9 " " " S 33 E 41 " dis.

40.00 — Cr. sec. cor. in lake,

55.00 — Leave the Lake & set post from wh.

a W. Oak 10 in. dia. bears N 40 E 10 lks. dis.

& a Do. 16 " " " N 30 W 14 " "

80.00 — Set post cor. to sec. 20 21 28 & 29

a W. Oak 10 in. dia. bears N 53 W 153 lks.

& a Do. 12 " " " S 87 W 125 "

Land thin & poor Red & Bur. Oak timb.

East — On Random between sec. 21 & 28,

40.00 — Set a temp. 1/4 sec. cor. post,

65.00 — Leave barrens & Enter thick timber

80.10 — To the E. line of Sec. 15 lks. N. of post,

West — Correct the line between sec. 21 & 28.

40.05 — Set the qr. sec. cor. post from which

a G. Ash 8 in. dia. bears N 52 W 5 lks dis.

T. 38 N. R. 1 W. 2nd Mer. Ind.a

6. L.	A an Elm 18 in. dia. bears S 68 W 36 lks,
80.10	To the section corner,
	Land is rolling barren & the timber is Bl. Oak & Dogwood &c

North — Between sections 20 & 21

28.00	Leave barren
31.46	To a W. Oak 10 in. dia. in the line,
40.00	Set the qr. secs. cor. post from which
	a Sugar 18 in. dia. bears N 31 E 21 lks,
	& a Beech 12 " " " N 61 W 25 " dist,
56.76	To a Sugar 12 " " in the line,
80.00	Set a post cor. to secs. 16.17.20 & 21,
	a Sugar 13 in. dia. bears S 77 E 17 lks. dist,
	Do a Do. 13 " " " N 5 W 13 " "
	Land is quite thin & poor, & the timber is chiefly Oak. &c

East — On Random between secs. 16 & 21

40.00	Set a temp. qr. secs. cor. post,
77.00	Enter a swamp
79.85	To the E. line of secs. 10 lks. S. of post
	Land improving & generally saturated & the timber is Ash Oak & Sugar &c,

---

West — Correct the line between secs. 16 & 21

39.92	Set the qr. secs. cor. post from which
	a Beech 20 in. dia. bears N 40 E 11 lks. dist,
	& a Do. 14 " " " S 76 E 28 " "
79.85	To the section corner,

North — Between sections 16 & 17

11.00	To a Stream 10 lks. wide cr. S. W,

T. 38 N. R. 1 W. 2nd Mer. Ind.

G. L.

24.70 To a Sugar 16 in. dia. in the line

40.00 Set the qr. secs. cor. post from which
an Elm 15 in. dia. bears S 86 W 21 lks. dist &
a Hickory 16 " " " N 37 E 31 " "

Continuation of same line

~~North Between Sections 16 & 17~~

63.60 To a Sugar 18 in. dia. in the line,

80.00 Set a post cor. to secs. 8, 9, 16 & 17,
a Sugar 23 in. dia. bears N 60 E 13 lks.
& a Do. 18 " " " S 68 E 20 " dist.
Land very good & Rich & the timber is
Beech, Sugar &c

East On Random between Secs. 9 & 16

40.00 Set a temp. qr. secs. cor. post,

77.00 Enter a swamp

79.85 To the E. line of sec. 10 lks. S. of post,

West Correct the line between secs. 9 & 16

39.92 Set the qr. secs. cor. post from which
a Beech 34 in. dia. bears N 40 E 11 lks. dist,
& a Do. 13 " " " S 76 E 28 " "

79.85 To the Sections corner,
Land is first rate rolling & the timber
is same as before,

North Between Sections 8 & 9

2.00 Enter a Tamarac. swamp

26.00 Leave the " Do,

28.05 To a W. Oak 30 in. dia. in the line,

39.10 To the N. boundy. of Indiana,
cor. secs. 8 & 9 from which
a Beech 34 in. dia. brs. S 37 E 36 lks,

T. 38 N. R. 1 W. 2nd Mer. Ind.,

6. L. & a Sugar 13 in. dia. bears S45W13 lks.,
Land very good greatly rolling fit for
cultivation. & the timber is Oak Walnut
Beech, Sugar Lynn &c &c,

North Between sections 31 & 32
16.00 Leave prairie
40.00 Set the qr. secs. cor. post, from which
a Beech 12 in. dia. bears N8W14 lks. dist.
& a Sugar 12 " " " S43E21 " "
64.27 To a Sugar 15 " " in the line,
80.00 Set a post cor. to secs. 29.30.31 & 32,
a Red Oak 24 in. dia. bears S30W25 lks.,
& a Beech 12 " " " N44W17 "
Land is rich rolling & the timber is
Sugar, Beech Lynn Oak &c

East Between sections 29 & 32, (Random),
40.00 Set a temp. 1/4 secs. cor. post,
80.00 To the sections corner,

West Correct the line between secs. 29 & 32
40.00 Set the qr. secs. cor. post from which
a Beech 11 in. dia. bears S52W18 lks. dist.
& a Lynn 16 " " " N12E24 " "
80.00 To the sections corner,

West Between sections 30 & 31
17.85 To a Sugar 16 in. dia. in the line,
40.00 Set the qr. secs. cor. post from which
a Lynn 12 in. dia. bears N78E32 lks. dist.
& a Beech 4 " " " S78W5 " "
58.87 To a Do. 20 " " in the line,

T. 38 N. R. 1 W. 2nd Mer. Ind.

G. L.	
82.10	To the Range 226 lks. North of post,
	& Set post cor. to secs. 30 & 31 from which
	a Gray Ash 9 in. dia. bears N15W9 lks. dist,
	& a Do 6 " " " S20E8 " "
	Land is 1st rate & the timber is Beech Elm
	Sugar &c

North	Between sections 29 & 30,
23.00	To a Lake & set a post from which
	a Maple 10 in. dia. bears S26E25 lks. dist,
	a W. Oak 9 " " " N69E50 " "
40.00	Dr. Secs. cor. in Lake,
50.00	Leave Lake & set post from which
	a W. Oak 14 in. dia. bears N31W7 lks. dist,
	& a Do. 12 " " " N30E7 " "
68.50	To a Hickory 14 " " in the line,
80.00	Set a post cor. to secs. 19, 20, 29 & 30,
	a Bl. Ash 12 in. dia. bears N40W11 lks. dist,
	& a Lynn 8 " " " S38E30 " "
	Land rather broken on rising from the
	large lake, some parts thin & barren &
	others rich & fertile, abounding in swamp
	& marshy swamps, timber same as last,

East	On Random between secs. 20 & 29
40.00	Set the temp. 1/4 secs. cor. post,
80.00	To the E. line of sec. 25 lks. N. of post,

West	Correct the line between secs. 20 & 29
40.00	Set the qr. secs. cor. post from which
	a Sugar 30 in. dia. bears S67E17 lks. dist,
	& a Beech 18 " " " N76W11 " "
80.00	To the section corner, Land &c. same,

T. 38 N. R. 1 W. 2nd Mer. Ind.

G. L.	
West	Between sections 19 & 30,
21.19	To a Maple 18 in. dia. in the line,
30.00	Enter a Bl. Ash swamp
40.00	Set the qr. secs. cor. post from which a Maple 6 in. dia. bears N57 E8 lks. dist, & a Do. 12 " " " S62 E15 " "
42.00	Leave the swamp
63.70	To a Beech 18 in. dia. in the line,
81.00	To a Lake & Set a post from which a Red Oak 3 in. dia. bears S10 E14 lks. dist, & a W. Oak 10 " " " N10 W11 " " This post bears from the post set on R. line 3.17 lks. E. of Range line, & on E & W. line between secs. 19 & 30 S20 E 293 lks. dist, which post is 214 E. & 282 N of cor. on R. line in lake. (Land &c. same as last.)
83.14	Corner secs. 19 & 30 in Lake,

North	Between sections 19 & 20,
34.28	To a Sugar 28 in. dia. in the line,
40.00	Set a qr. secs. cor. post from which a Beech 12 in. dia. bears N44 E18 lks, & a Do. 14 " " " S68 W16 " dist,
41.00	Enter a Tamarac swamp
48.60	Leave the " Do,
62.60	To a Sugar 16 in. dia. in the line,
80.00	Set a post cor. to secs. 17, 18 & 19 & 20, a Sugar 12 in. dia. bears N60 E8 lks, & a G. Ash 4 " " " N22 W29. Land good 1st rate but deficient in streams. Timber is Ash. Walnut Sugar &c,

---

East	On Random between Secs. 17 & 20,

443

T. 38 N. R. 1 W. 2nd Mer. Ind.a

G. L.	
40.00	Set a temp. 1/4 sec. cor. post,
80.00	To the G. line of Sec., 30 lks. N. of post
West	Correct the line between secs. 17 & 20
40.00	Set the 1/4 sec. cor. post from which
	a Red Oak 10 in. dia. bears N 7 W 10 lks.
	& a G. Ash 10 " " " South 14 "
80.00	To the Section corner, Land rolling
	good but dry & the timber is Oak Hickory,
	Sugar &c
West	Between Sections 18 & 19
22.48	To a Sugar 8 in. dia. in the line,
40.00	Set the q. sec. cor. post from which
	a Sugar 12 in. dia. bears N 39 E 23 lks. dist.
	& a Beech 10 " " " S 36 E 31 " "
52.33	To a W. Oak 18 " " in the line,
58.00	Enter a Willow swamp
71.00	Leave the " Do,
83.00	To the Range line 75 lks. N. of post,
	& set a post cor. to sec. 18 & 19
	a Beech 12 in. dia. bears N 67 E 37 lks. dist.
	& a Do. 10 " " " N 61 E 37 " "
	Land & timber is the same as before,
North	Between Sections 17 & 18,
19.50	To a Lynn 15 in. dia. in the line,
38.78	To a Stream 10 lks. wide cr. E,
40.00	Set the q. sec. cor. post from which
	an Elm 30 in. dia. bears N 17 E 28 lks. dist.
	& a Do. 7 " " " N 50 W 26 " "
57.90	To a Beech 18 " " in the line,
80.00	Set a post cor. to Secs. 7, 8, 17 & 18,

T. 38 N. R. 1 W. 2nd Mer. Ind.

E. L.

an Elm 30 in. dia. bears S 60 E 34 lks. dist.,
& a Do. 10 " " " N 31 W 70 " "
Land flat & swampy & the timber is Ash
Maple, Sugar & Beech &c

East On Random between Secs. 8 & 17
3.00 To a Stream 20 lks. wide cr. NW
40.00 Set a temp. 1/4 sec. cor. post from which
80.30 To the E. line of secs. 30 lks. N. of post,
Land & timber same as last - improving.

West Correct the line between secs. 8 & 17
40.15 Set the qr. secs. cor. post from wh.,
a Beech 24 in. dia. bears S 21 E 15 lks.,
& a Poplar 25 " " " N 57 W 8 " dist.,
80.30 To the sections corner,

West Between sections 7 & 18,
22.17 To a Beech 18 in. dia. in the line,
40.00 Set the qr. secs. cor. post from which
a Beech 12 in. dia. bears N 46 E 16 lks. dist.,
& an Hon. 7 " " " S 23 E 17 " "
60.15 To a Beech 15 in. dia. in the line,
83.15 To the Range line & cor. to secs. 7 & 18,
150 lks. N. of post set post cor. secs. 7 & 18,
Land & timber is 1st quality equally as good
as any in the township.

North Between sections 7 & 8.
5.00 To a fine deep stream 20 lks. wide cr. NW,
17.47 " a Beech 24 in. dia. in the line,
37.75 " the St. boundy. of Indiana state
& set post cor. to secs. 7 & 8. from which

T. 38 N. R. 1 W. 2nd Mer. Ind.a

C. L. an Elm 12 in. dia. bears S 9 W 29 lks. dist.,
& a Lynn 12 " " " S 62 E 49 " "
Land & timber is good as before —

Meanders of a small lake in Secs. 27 & 34
Begin at post on W. side between secs.
27 & 34 thence
in Sec. 27

Course	C. L.
N 46 W	6.00
N 29 E	4.50
N 47 E	12.50
N 3¼ W	6.00
N 62 E	11.50
S 48 E	7.00
S 12 W	4.50
S 11 E	2.50
S 50 E	3.00
S 44 W	4.50
S 27 W	8.50
S 83 W	6.00
S 22 W	3.32

To post between secs. 34 & 27
East side of Lake
in sec. 34

South	3.50
West	9.50
North	3.50

To place of beginning. (perhaps.)

Meanders of a Lake in Sec. 28,
Begin a cor. secs. 27 28 33 & 34 thence
N. margin of Lake

N 73¾ W	17.00
S 42 W	6.82
S 75 W	11.50
N 22 W	5.50
N 16¼ W	5.50
N 34¼ E	6.50

T. 38 N. R. 1 W. 2nd Mer. Ind.

Course C. L.	Meanders continued,
S 65 E 18.70	In sec. 28,
South 1.50	
S 50 W 5.00	
S 42 W 1.18	To place of beginning on Lake
	Meanders of a Large lake in Sections 28, 29 & 30, Begin at post between sec. 28 & 29
N 70 ¾ W 42.00	In sec. 29 South side
N 89½ W 40.00	To post between secs. 29 & 30
South 5.00	In sec. 30
S 18 W 5.50	
S 52 W 3.50	
S 79 W 8.00	
N 44 W 10.00	
N 22 W 8.00	
N 60 W 4.00	
N 8 W 4.50	
N 23 E 3.50	
N 42½ E 4.00	
N 89 E 3.00	
S 75 E 20.00	
N 23 W 4.00	
N 65¾ W 18.70	
N 2 W 3.00	
N 22 W 2.50	
N 43 W 2.50	
N 1 E 6.00	
N 18 E 5.00	
N 52 E 3.00	
N 22 E 6.00	

T. 38 N. R. 1 W. 2nd Mer. Ind.

Course 6. L.	Meanders continued
N25W 4.50	
N60W 12.25	
N26E 6.00	
N82E 2.00	
S56E 3.50	
S29E 5.25	
S78E 3.00	
S28E 29.50	To post between sec. 29 & 30,
S66E 2.50	In sec. 29 N. side of lake
N76E 2.00	
S69¼E 7.00	
N69¼E 12.00	
N56E 7.30	
N78E 2.60	
East 2.00	
S34E 5.50	
N89½E 5.50	
N36E 13.00	
S46E 2.75	
N56E 30.00	
S46E 5.00	
S25½W 4.50	
S82W 5.00	
S10W 10.20	
S68W 3.00	
S33½W 1.00	
S79E 4.50	
East 3.00	
N72E 4.50	To post between sec. 28 & 29
North 25.00	In sec. 28,

T. 38 N. R. 1 W. 2nd Mer. Ind.

Course & Dis.	Meanders Continued.
East 3.50	In sec. 28,
S62 E 11.00	
S41 W 7.90	
S5 W 11.00	
S23 E 3.00	
S26 E 10.00	
S33 E 10.00	
N35 E 8.00	
N38 W 6.50	
N20 E 15.50	
S86 E 7.50	
S5½ E 5.50	
N52½ E 8.50	
S49 E 3.50	
S57 W 4.50	
S37½ W 8.50	
S44¼ E 5.20	
S84 E 13.50	
South 6.50	
S79 W 6.00	
S33 W 5.50	
S4½ W 8.50	
S42 W 4.50	
S22 W 6.00	
S31 W 11.00	
S46 W 6.80	
N72½ W 5.22	
N45 W 7.10	
N70¾ W 10.60	To post on line between secs. 28 & 29
	Place of Beginning. —

Meanders of E. end of a

T. 38 N. R. 1 W. 2nd Mer. Indn.

Comm. E. L.	Meanders of E. end of a small lake which lies in secs. 19 & 30, Begin at L. post on Range line.
N41 E 4.00	In sec. 30,
N3 E 10.00	To post below, secs. 19 & 30,
N3½ W 5.00	In sec. 19,
N80 W 2.00	To N. post in Range line,
	Meanders of E. end of small lake on Range line. Begin at L. post in Range line,
East 7.50	
N20 E 6.00	
N48 W 13.80	To post on Range line N. side Finished this township Monday evening Oct. 12th 1829, Thomas Henderson D. S.

Pursuant to a contract dated Sept. 16th 1829, & instructions from William Lytle, Sur. Genl. of the U. States, I have surveyed & subdivided into sections the fractional Township 38 N. Range 1 West, 2nd Mer. Indiana, described in said contract. & I certify that the foregoing are the correct & true field notes of the lines which they purport to be as part of said contract.

Certified this 4th day of February 1830. Thomas Henderson, Dep. Sur.

T. 38 N. R. 1 W. 2nd Mer. Ind.

I certify that the foregoing transcript of field notes of Township 38 North Range 1 West 2nd Mer. Indiana has been compared with the original in this office, & found to be correct,

C. Haines Surv. Genl.

Surveyor General's office,
Cincinnati. March 8th 1842,

1

Bonstant. Paid per Report 39.615

Original field notes and plat sent to State Authorities July 25. 1883
J.

Field Notes
of the Survey of an Island
in Lake Duchesne, in Section 29,
Township 38 North Range 1 West.
of the 2nd Principal Meridian
Indiana.

State of Indiana } ss
St. Joseph County }

I, E. T. McCollum do solemnly swear that I will well and truly perform the duties of Compassman according to instructions given me, and to the best of my skill and ability in the survey of an Island in Lake Duchemin in Section No. 29, Township No. 38 North, Range No. 1 West, Indiana.

E. T. McCollum (Seal)

Subscribed and sworn to before me this second day of January 1883.

(Seal) Edward H. Harris (Seal)
Notary Public.

State of Indiana } ss.
St. Joseph County }

We, Walter Redding and Benjamin F. Cowgill do solemnly swear that we will with all faithfulness execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by standing or dropping the same; that we will report the true distance to all notable objects and the true length of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us, in the survey of an Island in Lake Duchemin in Sec No 29, Town No. 38 N. Range No 1 West, Indiana.

Walter Redding (Seal) Chainman.
Benjamin F. Cowgill (Seal) Chainman.

Subscribed and sworn to before me this 2nd day of January 1883.

(Seal) E. J. McCullom (Seal)
Notary Public

State of Indiana } ss:
St Joseph County }

We Clarence E. McCullom and Oleman by oath that we will well and truly perform the duties of Overseer, in the establishment of contract and their duties according to instructions given us and to the best of our ability, in the county of aforesaid and State of Indiana in Sec. No 29 Town No. 38 N. Range No 1. West, Indiana.

Clarence E. McCullom, Overseer
Oleman

Subscribed and sworn to before me this second day of January 1883.

(Seal) E. J. McCullum (Seal)
Notary Public

Field Notes of a Survey made of an Island (in Lake Duchesne) in Sec. Twp No. 29 S 38 N Range No 1. West of the Second Principal Meridian, by E. J. McCollum Deputy, begun January 2, 1883, and completed January 4, 1883.

Having identified the Meander Posts on the South and North Chores of the Lake, and on the West line of said Section No. 29, I began at the Mean Pst on the South Chore, and ran North!

17.00 and fixed a ½ post in the ice in a direct line between the two Meander Posts above mentioned.

I then began at this ½ post and ran East parallel with the South line of said Section.

23.53 and at Meander Post on the Island which I marked No 1.

F.W. Beech 12 in S. 60° W. 0.03 ch
also W. O. 10 " N. 30° E. 0.33½ "

Thence N. 50° E.

0.648 to Beech tree, 8 in which I marked as a Mean P. No 1 a

Thence S. 87° E.

1.424 and at Mean Post and Marked No 1 b

Thence S. 23° E.

0.34 and at Meander Post No 2.

F.W. Maple 20 in. S. 0.25 L

Thence S. 5° W.

1.106 and at Mean Post and marked No 2 a

Thence S. 24 1/2 W.
3.582 To W. O. Tree 6 in which I marked
as Meander Post No. 2

Thence S. 29 1/2 W.
2.242 to a W. O. Tree 6 in which I marked
as Meander Post No. 2

Thence S. 40° W.
0.828 and set Meand Post
Mark No. 3.
Pass Beech 12 in N. 15° E. 0.227
Also W. O. 16 in S. 65° W. 0.606

Thence S. 76° W.
0.727 and set
Meander Post No. 4
Pass W. O. 18 in N. 17° E. 0.07
Also. " " 16 " S. 57° E. 0.17

Thence N. 5° E.
2.409 To W. O. Sass. 6 in which I marked
as Mean Post No. 4

Thence N. 15° E.
2.35 and set Meand P. and
Marked No. 4

Thence N. 24° E.
2.545 To Meand. Post No 1.

Area 1 43/100 Acres.

State of Indiana }
St Joseph County }

We hereby certify that we assisted E. T. McCollum as Deputy U. S. Surveyor in the survey of an Island in Lake Duchesne, in Sec. No. 29. T. 38. N. R. 1 West of the 2d Prin. County, as represented in the foregoing field notes as having been surveyed by him, and under his direction, and that said survey has been in all respects, to the best of our knowledge and belief well and faithfully surveyed and the corner monuments established according to the instructions furnished him by the Commissioner of the Land Office.

Benjamin F. Cowgill. Chainman.
Clarence E. McCollum. Chainman.
Axmen.

Subscribed and sworn to before me this 5th day of June 1883.
(Seal) E. T. McCollum.
Notary Public.

State of Indiana }
St Joseph County } ss

I, E. T. McCollum do solemnly swear that in pursuance of the instructions received from N. C. McFarland. Commissioner bearing Date Dec. 18, 1882, I have well and faithfully in my own proper person, and in conformity with instructions surveyed a certain Island lying and situate in Lake Duchesne, and being Sec. 29. T. 38 N. Range No 1. W. of the 2nd Princ. Mer. in the State of Indiana, as is represented in the foregoing field

notes plats, maps and explanations herewith annexed: and I do further solemnly swear that the corners of said Survey have been established and perpetuated as in the field notes set out, and that the foregoing are the true field notes of said Survey, and should any fraud be detected, I will suffer the penalty of perjury under the provisions of the act of Congress approved Aug. 8, 1846.

E. P. McCollum
Spcl Dep. U. S. Surveyor.

Subscribed and sworn to before me this 5th day of June 1883.

(Seal.) John Dixon
Notary Public.

Department of the Interior,
General Land Office.
June 29th 1883.

The foregoing field notes of the survey of an island in Lake Michigan, in Sections 29, Township 38 North Range 1 West of the 2d Principal Meridian in the State of Indiana executed by E. T. McCollum U. S. Deputy Surveyor under instructions from the Commissioner of the General Land Office having date the 18th day of December 1882, having been critically examined the necessary corrections and explanations made the said field notes and the survey they describe are hereby approved.

A. B. McFarland
Commissioner &
Ex Officio Sur. Genl of Indiana.

Department of the Interior,
General Land Office
July 24th 1883.

A true copy.

A. B. McFarland
Commissioner.